

# EJOT Self-tapping screws



The **EJOT** self-tapping screw JZ2, carbon steel, case hardened steel, is the proven fastener for fixing steel profile components, plastic- and fibre cement sheets.

## Quality features:

- SW 3/8" for maximum working of the tool
- Fine thread (B-thread as DIN EN ISO 1478, form F)
- Taps into a pre-drilled hole itself
- Available without washer or assembled with a high quality sealing washer
- Sealing washer, zinc plated and vulcanized EPDM

The **EJOT** self-tapping screw JA2, carbon steel, case hardened steel, is the proven fastener for fixing of steel profile components, sandwich panels, plastic- and fibre cement sheets.



**Quality features:**

- SW 3/8" for maximum working of the tool
- Coarse thread (A-thread, similar to woodscrew thread)
- Tapps in a pre-drilled hole
- Available without washer or assembled with a high quality sealing washer
- Sealing washer, zinc plated and vulcanized EPDM

The **EJOT** self-tapping screw JZ3, austenitic stainless steel is the proven fastener for fixing steel profile-, aluminium profile sheets, sandwich panels, plastic- and fibre cement sheets.



**Quality features:**

- SW 3/8", 5/16" and torx for maximum working of the tool
- Fine thread (B-thread as DIN EN ISO 1478, form F)
- Tapps in a pre-drilled hole itself
- Available without washer or assembled with a high quality sealing washer
- Stainless steel sealing washer and vulcanized EPDM with excellent weather- and ozone resistance
- Low tightening torque guarantees high sealing performance
- Corrosion resistance



The **EJOT** self-tapping screw JA3, austenitic stainless steel, is the proven fastener for fixing steel profile-, aluminium profile sheets, sandwich elements, plastic- and fibre cement sheets.

**Quality features:**

- SW 3/8", 5/16" and torx for maximum working of the tool
- Coarse thread (A-thread, similar to woodscrew thread)
- Tapps in a pre-drilled hole
- Available without washer or assembled with a high quality sealing washer
- Stainless steel sealing washer and vulcanized EPDM with excellent weather- and ozone resistance
- Low tightening torque guarantees high sealing performance
- Corrosion resistance

The **EJOT** self-tapping screw JB3, austenitic stainless steel, is the proven fastener for fixing steel profile-, aluminium profile sheets, plastic- and fibre cement sheets.



**Quality features:**

- SW 3/8" and torx for maximum working of the tool
- Fine thread (B-thread as DIN EN ISO 1478, form F)
- Taps in a pre-drilled hole
- Available without washer or assembled with a high quality sealing washer
- Stainless steel sealing washer and vulcanized EPDM with excellent weather-and ozone resistance
- Low tightening torque guarantees high sealing performance
- Corrosion resistance

The **EJOT** self-tapping aluminium screw JA8, is the proven fastener for fixing aluminium profile sheets and plastic sheets.



**Quality features:**

- SW 3/8" for maximum working of the tool
- Coarse thread (A-thread, similar to woodscrew thread)
- Available without washer or assembled with a high quality sealing washer
- Aluminium washer and vulcanized EPDM
- With excellent weather and ozone resistance
- Low tightening torque guarantees high sealing performance
- Corrosion resistance

